

National Institute of Mental Health (NIMH) Instrumentation Program (S10 Clinical Trial Not Allowed)
RFA-MH-20-555
Internal Letter of Intent

MGH Principal Investigator:
MGH Principal Investigator (if multiple PDs/PIs):

Title of Submission:

Purpose:

Select one.

To purchase a single commercially available instrument or a group of components to create an instrument that is not commercially available.

To upgrade a commercially available instrument or a group of components to create an instrument that is not commercially available.

3. Equipment Requested.

Name of the equipment and a URL for specifications.

Will the purchase replace existing equipment? Yes No

Does the equipment already exist on an MGH campus? If yes, explain why the equipment is not accessible or cannot be used. To see a list of equipment at MGH [click here](#). Yes No

4. Estimated Cost of Equipment.

\$

5. Planned Location of Equipment. Include Building, Floor and Room #, if known.

Building: Floor: Room #:

6. Renovation Required.

Will any renovations be required to install the equipment? If yes, who will be paying for the renovations? Yes No

7. Significance. What is the significance of procuring this piece of equipment to your research lab, department and the institution? Please be specific in discussing your field of study and the impact of this equipment.

8. Use of Institutional Funds. What do you plan to do with the institutional funds? (i.e. procurement, maintenance, etc.)